


Café Barriers

Technical Specifications

Size Guide

Minimum: 850mm x 885mm

Maximum: 1850mm x 900mm

Note: Size does not include the frame

Assembly Instructions

Follow these straightforward steps to secure your café barrier effectively:

- Place the weighted bases where you want your barrier to stand. Ensure they're evenly spaced for stability.
- Secure the poles onto the bases by aligning the holes and tightening the screws. Make sure they're firmly fixed.
- Gently slide the fabric banner onto the crossbars, ensuring it's the right way up and smooth.
- For premium cage barriers, attach the crossbars with the fabric to the poles. Ensure they're level and secure.
- For standard café barriers, attach the top crossbar with the fabric to the top of the poles then hook the bungee cords through the bottom eyelets of the fabric and attach to the bottom of the poles. Adjust the tension to keep the fabric taut but not over-stretched.
- Give everything a little wiggle to check stability and make any necessary adjustments.

Care Instructions

To maintain the quality and longevity of your café barrier:

- Clean regularly with a damp cloth to remove dirt and debris.
- Avoid harsh chemicals or abrasive cleaning materials.
- Store rolled (not folded) in a cool, dry place when not in use.
- Ensure careful mounting during installation to minimise damage.

For UFabrik Flag Textile and Stretch Fabric

- Machine wash on a gentle cycle with cold water and mild detergent.
- Do not tumble dry; air dry only to maintain fabric tension.

Additional Information

<p>Materials Information</p>	<p>110gsm UFabrik Flag Textile Strong, cold cut, PVC free, recyclable, REACH compliant and excellent show through. Substrate: DIN 60001,ASTM D7641 – 100% polyester Weave: knitted Weight: ISO536 – 110gsm, 3.2oz/yd Shrinkage: 190°C/60s – <2% Fire retardancy: B1/NFPA 701 – EN13501-1/DIN 4102-1 Recommend Fixation Temperature: 190-200°C,45-60s Yellowing Temperature: ≥210°C</p> <p>440gsm Banner PVC Description: Laminated PVC banner material; water-resistant and weatherproof. Tensile Strength: Warp 635 / Weft 451 N/5cm Tear Strength: Warp 125 / Weft 107 N Temperature Resistance: -20°C to 70°C</p> <p>260gsm Stretch Fabric F/Flex Tissaro Flex One-Way Stretch Display Fabric 260gsm Flex is a super supple fabric, perfect for punchy prints on stretch frame systems. It produces accurate and appealing graphics that don't distort when stretched.</p> <p>100% polyester design Fire: DIN fire-rated Weight: 260gsm Denier: 150 x 70 Weave method: Warp-knitted Fixation temperature: 190-210°C, 1-2 min Yellowing temperature: >210°C\</p>
------------------------------	---

Additional Information

Materials Information	<p>Standard Terazza Nero Café Barrier A sleek powder-coated black finish with two sturdy support mounted on wide weighted bases for optimal stability. Spring clips make it suitable for high wind exposure areas. Post weight: 1.25kg Base weight: 6.70kg</p> <p>Premium Terrazza Argento Silver Cafe Barrier The Chrome Café Barrier is made from stainless steel giving it an elegant, chrome finish. Easy to assemble in 5 minutes. Non-slip 'no marking' plastic ring supplied on 360 mm base to prevent damage to floors. Ability to withstand wind speeds of up to 25 kph.</p>
Printing Process	<p>UFabrik Flag Textile and Stretch Fabric: Dye-sublimation printing using heat to set vibrant inks into the fabric.</p> <p>Banner PVC: Drop-on-demand digital inkjet printing.</p>
Finishing Method	<p>Standard: Hemmed edges and 2 pole pockets with two eyelets on the bot-tom for bungee cord attachment.</p> <p>Premium: Hemmed edges and 2 pole pockets.</p>
Sizes	<p>Standard Standard 1m Café Barrier – Banner Size: 890mm (W) x 890mm (H) Standard 1.5m Café Barrier – Banner Size: 1390mm (W) x 890mm (H) Standard 2m Café Barrier – Banner Size: 1890mm (W) x 890mm (H)</p> <p>Premium Premium 1m Café Barrier – Banner Size: 890mm (W) x 1015mm (H) Premium 1.5m Café Barrier – Banner Size: 1390mm (W) x 1010mm (H) Premium 2m Café Barrier – Banner Size: 1890mm (W) x 1010mm (H)</p>
Kit	<p>Standard Full Kit – 2x black bases and poles, 1 top cross rail (top), 2 bungee cords (bottom) Premium Full Kit – 2x silver bases and poles, 2 cross rails (top and bottom) Standard Extension Kit – 1x black base and pole, 1 top cross rail (top), 2 bungee cords (bottom) Premium Extension Kit – 1x silver base and pole, 2 cross rails (top and bottom) Graphic only</p>
Environment	Suitable for both indoor and outdoor use.
Sustainability	Check with your local recycling facility to find out if they accept fabric, PVC and stainless steel and if there are any special handling requirements.