
Folded Leaflets

Technical Specifications

Fold Types



Care Instructions

To maintain the quality and longevity of your leaflets:

- Store in a cool, dry place to prevent fading or warping.
- Keep away from moisture to avoid smudging or damage.
- Stack flat to prevent creases or bent corners.
- Distribute carefully to avoid bending or crumpling edges.
- Recycle responsibly to minimise waste when no longer needed.

	Silk Silk-coated paper with a smooth, low-sheen finish. Offers excellent image reproduction with high colour density and clarity. Surface is writable with a ballpoint pen.
Materials Information	Uncoated Uncoated paper with a naturally textured, porous surface. Provides strong ink absorption, fast drying times, and is ideal for writing or stamping applications.
	Gloss High-gloss coated stock with a reflective surface. Enhances colour vibrancy and sharpness, suitable for image-heavy applications requiring maximum visual impact.
	Lamination:
	No Lamination Supplied without any laminate coating; stock remains unsealed.
	Matt 27Mic BOPP (biaxially oriented polypropylene) Matt Thermal Lamination Film.
	Gloss 25Mic BOPP (biaxially oriented polypropylene) Gloss Thermal Lamination Film.
Finishing Method	Velvet 32Mic BOPP (biaxially oriented polypropylene) Soft Touch Thermal Lamination Film.
	Embellishment:
	None No embellishment applied; standard laminated or unlaminated finish.
	Spot UV UV-cured varnish applied to selected areas of the artwork.
	Foil Hot stamped 12 Micron Polyester metallic foil.
	Note: Embellishment can only be added to laminated print. Lamination can be

added to stock thicker than 250gsm and cannot be added to uncoated stocks.

Flyers & Leaflets

Additional Information

	Perforation:
Finishing Method	Single Fold A single perforation line applied at the centre of the sheet. Micro-holes are punched to allow clean and easy folding or tearing.
	C-Fold and Z-Fold 1/3 A single perforation line applied at one-third of the sheet width (rightmost panel). Micro-holes enable precise folding or tear-off functionality.
Printing Process	Drop-on-demand digital inkjet printing or offset lithographic printing for high-definition image quality with smooth shadows, gradients, and sharp text.
Sizes	6pp C-Fold
	A3, A4, A5, A6, DL, 148mm x 148mm, 210mm x 210mm, A3-Slim, A4-Slim, A5 Slim, 1/3 A3 and 1/3 A5.
	6pp Z-Fold
	A3, A4, A5, A6, DL, 148mm x 148mm, 210mm x 210mm, A3-Slim, A4-Slim, A5 Slim, 1/3 A3 and 1/3 A5.
	4pp Half-Fold
	A3, A4, A5, A6, DL, 148mm x 148mm, 210mm x 210mm, A4-Slim, A5 Slim and 1/3 A3.
	8pp Cross-Fold
	A4, A5 and A6.
	8pp C-Fold (Roll) A4, A5, A6, DL, 148mm x 148mm, 210mm x 210mm, A3-Slim and A4-Slim.
	8pp Z-Fold (Concertina) A4, A5, A6, DL, 148mm x 148mm, 210mm x 210mm, A3-Slim and A4-Slim.
Fold Options	Half fold, C-Fold, Z-Fold, Cross Fold, C-Fold 8pp Roll and Z-Fold 8pp Concertina.
Sustainability	All paper options are FSC®-certified.
	Folded leaflets can be recycled but check with your local facility as lamination and embellishments may affect recyclability.